
RAW SEQUENCE LISTING ERROR REPORT



PX

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/673,9/8Source: 9/5/2001

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

 INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,

Z) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 c-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER</u> <u>VERSION 3.0 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address:

http://www.uspto.gov/web/offices/pac/checker

1	Raw Sequence Litting	ETTOLOGICA
		SERIAL NUMBER: 09/673,918
		MIMBER: 07/6/3///
	DEFCTION	SERIAL NUMBER
S1	UGGESTED CORRECTION	- Park WillCH WERE INSURING
DROR DETECTED	THE ENGLISH	ALPIIA" HEADERS, WALLES
ALCO D	LEASE DISREGARD ENGLISH	"ALPIIA" HEADERS, the next line. This may occur if your file a "wrapped" down to the next line. This may occur if your file is creating it. Please adjust your right margin to .3; this will
TTN. NEW RULES CASES: F.	i - C and lin	"wrapped" down to the next tarte night margin to .3; this will
T Tive time	The number/lext at the end of each in	e "wrapped" down to the next line. This may occur it you are it reading it. Please adjust your right margin to .3; this will be creating it.
Wrapped Nucleics	ne nemeyed in a word processor are	
Wrapped Aminos	prevent "wrapping"	Ander while spaces
History 1	Meneur Mistans	and characters in length. This includes
	whire that a line not exce	ed 72 characters in length. This includes while apaces. acid is misslighed. Do not use lab codes between numbers;
2 Invalid Line Length	The rules reduce and	Do not use tab cooks network
2Invalid Land 200 0	amino	
	The numbering under instead	ASCII(DOS) text, as required by the Sequence Rules. Please on is saved in ASCII text. The Sequence Rules.
	the numbering most waterd use space characters, instead	moulted by the Sequence Rules.
Numbering	ni boves se	ASCII(DOS) lext, as require
	The submitted file was not saved in ensure your subsequent submission	in is saved in ASCII lexu
4Non-ASCII		Saidue Per Sequence Rules,
4	Simur 1	is to saved in Abelia and the residue. For Sequence Rules, is representing more than one residue. For Sequence Rules, a single residue. Please present the maximum number of each a single residue.
	contain n's or Nes	leade residue. Please present the street enme may be missing.
5 Variable Length	Sequence Yan can only represent	'i representing more than one residue. Fer Sequence Ruse, a single residue. Please present the maximum number of each indicate in the <220><223> section that some may be missing. Indicate in the <220><223> section to be missing from amino acid The <220><223> section to be missing from amino acid
5Variable Zaria	each n or war while length and	indicate in the <220> <223> section to be missing from amino acid caused file <220> <223> section to be missing from amino acid sequently, Patentla would automatically generate this section from the lally, Patentla would automatically generate (220> <223> section to
•	secialis Dearing	and a minn to DC Illustration
•		Cally to the matically full that are sention to
	A "bug" in Palentin territorial Norm	equied file <220> <223> zections this section from the fally, Patentia would automatically, generate this section from the fally, Patentia would automatically, generate this section for section. Please manually copy the relevant <220> <223> sections for sec. This applies to the mandatory <220> <223> sections for sec. This applies to the mandatory <220> <223> sections for sec. This applies to the mandatory <220> <223> sections for sec. This applies to the mandatory <220> <220> <223> sections for sec. This applies to the mandatory <220> <220> <223> sections for sec. This applies to the mandatory <220> <220> <223> sections for sec. This applies to the mandatory <220> <220> <223> sections for sec. This applies to the mandatory <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220> <220>
6 Patentin 2.0	sequences(s)	uence. Please manually soprand story <220><221> sections
-bug"	previously coded nucleic action	ce. This applies to the management
	the subsequent amino acid sequen	
No. 1	the subsequent amino act of the Artificial or Unknown sequence	tentional please insert the following lines for each skipped acquence: NO:X: (insert SEQ ID NO where "X" is shown)
	Vinitaria	stentional, please insert the following lines to: ID NO:X: (insert SEQ ID NO where "X" is shown) ACTERISTICS: (Do not insert any subbeadings under this heading) ACTERISTICS: (Insert SEQ ID NO where "X" is shown)
	missing If in	ntentional, please in Set to the No. where "X" is shown) ID NO:X: (insert SEQ ID NO where "X" is shown) ACTERISTICS: (Do not insert any subbeadings under this heading) ACTERISTICS: (Do not insert any subbeadings under this heading) N:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)
7 Skipped Sequences	Sequence VATION FOR SEQ I	D NO.A. (March any subnection by shown)
OLD RULES)	(2) INFORMATION TENCE CHAR	ACTERISTICAL SEQ ID NO WHERE
(OLD ROLL)	(1) 3-4	0.610 10 110.54 (
- ·	(xi) SEQUENCE Descriptionally sk	ipped
	This sequence	and a second to Michael
	. writh NT IM	IBER OF SEQUENCES: responses to the following lines for each skipped sequence.
	Please also adjust the (ii) Ito	the following lines for each skipped
		fintentional, please insert the formation
	Sequence(s) missing. I	The second secon
Skipped Sequences	bod and a number	
(NEW RULES)	<400> sequence id number	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	C4002 204	
1	000	ocen detected in the Sequence Listing. use of <220><223> is MANDATORY if n's or Xna's are present. case explain location of n or Xna, and which residue n or Xna represents. A nificial Sequence, or
}	a hadder Xaa's have b	seen detected in the Sequence Listing. use of <220><223> is MANDATORY if n's or Xna's are presents. use of <220><223> is MANDATORY if n's or Xna represents. case explain location of n or Xna, and which residue n or Xna represents. case explain location of n or Xna, and which residue n or Xna represents.
Use of n's or Xsa's	Use of n's and of suggest Rules,	use of <2205-2225 of n or X na, and which restude it
9 Use of H and ES		
(NEW RULES)	In <220> to <223> 300 miles	in Unknown or
	71.14	the only valid (213) response to when (213) response to the
	Per 1.823 of Sequence Kules	-1 <220>.<223> section is require
10lnvalid <213>		
Response	is Artificial Sequence	ng the <220> "Feature" and associated numeric identifiers and responses. NO LTORY if <213> "Organism" response is "Antificial Sequence" or NO LTORY if <213> "Organism" response of <273> section.
14	B Authors	Feature" and associated number - Artificial Sequence" or
	missii	ng the 2220 "Organism" response to
11 Use of <220>	Sequence(3) is M/	and And I will material in <220> to <221 2 central and Sequence Rules)
. 11Use bi <220	Use of CILO, to Blease explain	ng the <220> "Feature" and associated numeric identifiers and responses. ANDATORY if <213> "Organism" response is "Artificial Sequence" or aource of genetic material in <220> to <223> section. aource of genetic material in <220> to <223> section. (Sec. 1.823 of Sequence Rules)
	"INKDOMII" - VSA	A1/1998, VOI. 05, 1
	\C \c \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	- 1 () 1 his tallow
		Disk function of Patentin and proposes (as indicated on raw adjusted disk
e e e	Please do not use "Copy to	Disk function of Patentin version 2.0. This causes a corrupted file, Disk function of Patentin version 2.0. This causes a corrupted file, ony numeric identifiers and responses (as indicated on raw sequence ony numeric identifiers and responses (as indicated on raw sequence ony numeric identifiers and responses (as indicated on raw sequence
12Patentln-2.0		
"bug"	tisting) Instead, please use	Disk" function of Patentin version 200. Only numeric identifiers and responses (as indicated on raw sequence ory numeric identifiers and responses (as indicated on raw sequence or numeric identifiers and responses (as indicated on raw sequence or numeric identifiers and responses to represent the sequence of the property of the pro
. • •	. IBuney	and sequence. N is not used to represent
.*		esent a single nucleotide in a nucleic acid sequence. N is not used to represent a nucleotide.
	and the used to repre	sent a tingual
Misuse of n	n can only be used to repre- any value not specifically	a nucleoude.
. 13MISUSC OC II	MAN ANTIG LINE STATE	a nucleosta

10/20/01 13:06 FAX 703 305 3230 NZPTO/PCT OPEP

PCT09

RAW SEQUENCE LISTING DATE: 09/05/2001 PATENT APPLICATION: US/09/673,918 TIME: 14:37:47

Input Set : A:\16430seq.txt

Output Set: N:\CRF3\09052001\1673918.raw

Does Not Comply
Corrected Diskette Needed

3 <110> APPLICANT: Xia, Zhi-Qiang Costa, Michael A Davin, Laurence B Lewis, Norman G 8 <120> TITLE OF INVENTION: Recombinant Secoisolariciresinol Dehydrogenese, and Methods of Use pr 1-2 11 <130> FILE REFERENCE: WSUR116430 13 <140> CURRENT APPLICATION NUMBER: 09/673,918 14 <141> CURRENT FILING DATE: 2001-05-30 16 <150> PRIOR APPLICATION NUMBER: PCT/US99/08975 17 <151> PRIOR FILING DATE: 1999-04-23 19 <150> PRIOR APPLICATION NUMBER: 60/082,977 20 <151> PRIOR FILING DATE: 1998-04-24 22 <160> NUMBER OF SEQ ID NOS: 25 24 <170> SOFTWARE: PatentIn Ver. 2.0

RRORED SEQUENCES

395 <210> SEQ ID NO: 6 396 <211> LENGTH: 273 397 <212> TYPE: PRT 398 <213> ORGANISM: Forsythia x intermedia 400 <400> SEQUENCE: 6 401 Met Gln Leu Arg Thr Ala Ile Ala Arg Arg Leu Glu Gly Lys Val Ala 404 Leu Ile Thr Gly Gly Ala Ser Gly Val Gly Glu Val Thr Ala Lys Leu . 20 405 407 Phe Ser Gln His Gly Ala Lys Val Ala Ile Ala Asp Val Gln Asp Glu 40 410 Leu Gly His Ser Val Val Glu Ala Ile Gly Pro Ser Asn Ser Thr Tyr 60 55 413 Ile His Cys Asp Val Thr Asn Glu Asp Gly Val Lys Asn Ala Val Asp 75 70 416 Asn Thr Val Ser Thr Tyr Gly Lys Leu Asp Ile Met Phe Asn Asn Ala 85 417 419 Gly Ile Ser Asp Pro Tyr Lys Pro Arg Val Ile Asp Asn Glu Lys Ala -> 422 Asp Phe Glu Arg Val Leu Ser (Xaa) Asn (Xaa) Thr Gly Val Phe Leu Phe Mu Am 9 on 425 Met Lys His Ala Ala Arg Ile Met Val Pro Ala Arg Asn Gly Cys Ile . Even Junnary
426 130 135 140 428 Ile Ser Thr Ala Ser Leu Ser Ser Thr Met Gly Gly Ser Ser His 160 150 155 · 431 Ala Tyr Cys Gly Ala Lys His Ala Val Leu Gly Leu Thr Arg Asn Leu 170 165 434 Ala Val Glu Leu Gly Gln Phe Gly Ile Arg Val Asn Cys Leu Ser Pro

ile://C:\Crf3\Outhold\VsrI673918.htm

9/5/01

PATENT APPLICATION: US/09/673,918 RAW SEQUENC

5/2001 DATE: TIME: 14:37:47

Input Set : A:\16430seq.txt
Output Set: N:\CRF3\09052001\1673918.raw

			,	outp	ut S	et: :	N: / C	tc 2 /								
													. 4	190		
				180					185	Lys	Dha	Ser	Gly	Ile	Glu	Asn
435	٠,	<u>-1</u>	T 011	Pro	Thr	Pro	Гел	Ala	Lys	Lys	1110		205			
437 438 440	Phe	GTA	195					200	~3	us e	B / A	Gly	Asn	Leu	Lys	Gly
438		11-1	155	Phe	Ala	Asn	Ala	Ile	GIU	MTÞ		220				
440	Asp	01U A9T	LY O P	• • • •			215		T 3 T) en	Ala	Ala	Lev	Phe	Leu	Ala 240 Gly
441.		210	T.e11	Arg	Ile	Glu	Asp	Val	Wina	14211	235					240
443	Thr	гуз				230			01:	Glm	Asn	Leu	Phe	Ile	Asp	GTÄ
444	225	n cn	Glu	Ala	Gln	Tyr	Val	Ser	GYĀ	250					255	Gly Asp
446	Ser	ASP			245				716	1.ve	Met	Phe	Gln	Tyr	Pro	Asp
44.7		Dhe	Ser	Val	Cys	Asn	Ser	. ATS	255	; <u>"</u>				270		
		FILE		260	1				20.	٠.				,		
450							•									
452	Ser				_									in the	Sem	ience L

Use of n and/or Xna has been detected in the Sequence Listing. Review the Sequence Listing to insure a corresponding explanation is presented in the <220> to <223> fields of each sequence using n or Xna.

9/5/01

VERIFICATION MARY

PATENT APPLICATION: US/09/673,918

DATE: 0 /200: TIME: 14:37:48

Input Set : A:\16430seq.txt

Output Set: N:\CRF3\09052001\1673918.raw

.:14 M:271 C: Current Filing Date differs, Replaced Current Filing Date :351 M:258 W: Mandatory Feature missing, <223> not found for SEQ ID#:5 :351 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 :352 M:258 W: Mandatory Feature missing, <223> not found for SEQ ID#:5 :352 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 :422 M:340 E: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:6 :758 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 :761 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 :804 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 :823 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 :842 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 :879 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18

Xaa represents any amino acid.

(223) (1) NA mokerle encoding seconsolaricires ino / delydrogenouse wherein Xaa + post. represents any amino acid.

ile://C:\Crf3\Outhold\VsrI673918.htm

9/5/01

File No.: WSUR116430

Atty/Secy: BFM/lal

Date: 11/05/2001

Appln. No.: 09/673,918

Filed: 10/23/2000

Title: RECOMBINANT SECOISOLARICIRESINOL DEHYDROGENASE, AND METHODS OF Applicant(s): Z.Q. Xia et al.

The following have been received in the U.S. Patent and Trademark Office on the date stamped hereon via first-class mail, with a signed Certificate of Mailing:

Transmittal of Response to Notification of Defective Response (2 pages) in duplicate

Sequence Listing (22 pages) Computer readible copy of sequence listing (diskette)

Copy of the Notification of Defective Response (2 pages)

Marked-up copy of the Raw Sequence Listing (5 pages)